## Amendments to the claims

This listing of claims will replace all prior versions, and listings, of claims in the application:

- 1. (Currently Amended) A polynucleotide which that comprises a sequence encoding an HIV envelope protein or fragment or immunogenic derivative thereof, fused to at least one sequence encoding an HIV non-structural or capsid protein or fragment or immunogenic derivative thereof, operably linked to a heterologous promoter.
- 2. (Currently Amended) The polynucleotide according to claim 1, wherein the HIV envelope protein is gp120 or a fragment or immunogenic derivative thereof.
- 3. (Currently Amended) The polynucleotide according to claim 1 or claim 2 wherein the at least one non-structural or capsid protein-or fragment or immunogenic derivative thereof is selected from the group of: one or more of Nef, Gag, RT [[or]] and Tat.
- 4. (Currently Amended) The polynucleotide according to claim 3 wherein the gp120 encoding sequence is linked to a sequence encoding HIV RT or a fragment or immunogenic derivative thereof and a sequence encoding HIV Gag or fragment or immunogenic derivative thereof and a sequence encoding HIV Nef or a fragment or immunogenic derivative thereof to encode a gp120, RT, Gag and Nef-containing fusion protein.
- 5. (Currently Amended) The polynucleotide according to claim 4, wherein the fusion protein is selected from the group of: gp120-RT-Nef-Gag and RT-Nef-Gag-gp120.
- 6. (Currently Amended) The polynucleotide according to claim 3 wherein the gp120 encoding sequence is linked to a sequence encoding HIV Nef or an immunogenic derivative thereof to encode a gp120 and Nef-containing fusion protein.

- 7. (Currently Amended) The polynucleotide according to claim 6 wherein the gp120 sequence is further linked to a sequence encoding HIV Tat or a fragment or immunogenic derivative thereof—to encode a gp120, Tat and Nef-containing fusion protein.
- 8. (Currently Amended) The polynucleotide according to claim 7 encoding a gp120-Nef-Tat fusion protein.
- 9. (Currently Amended) The polynucleotide according to claim 7 further comprising a sequence encoding HIV Gag or fragment or immunogenic derivative thereof to encode a gp120-Gag-Nef-Tat fusion.
- 10. (Currently Amended) The polynucleotide according to any one of claims 3, 4, 5 or 9 claim 3 wherein the Gag comprises one or both of p17 and/24 or and p24.
- 11. (Currently Amended) The polynucleotide according to any one of claims 1 to 10 claim 1 wherein the HIV envelope molecule protein is substantially non-glycosylated when expressed in a mammalian target cell.
- 12. (Currently Amended) The polynucleotide according to claim 11 wherein the HIV envelope molecule protein lacks a functional secretion signal.
- 13. (Currently Amended) The polynucleotide according to any one of claims 1 to 12 claim 3 wherein at least one or more of the sequences encoding gp120, Nef, Gag, RT [[or]]and Tat is or are codon optimised to resemble the codon usage in a highly expressed human gene.
- 14. (Currently Amended) A polynucleotide sequence selected from the group of:
- 1. gp120 codon optimised, minus secretion signal tr Nef
- gp120 codon optimised, minus secretion signal tr Nef mTat
- 3. gp120 codon optimised, minus secretion signal Nef mTat
- 4. \_\_gp120 codon optimised, minus secretion signal \_ p17/24 Gag \_ tr Nef
- 7. gp120 codon optimised, minus secretion signal p17/24 Gag tr Nef mTat

8. gp120 codon optimised, minus secretion signal - p17/24 gag - Nef mTat 9. gp120 codon optimised, minus secretion signal p17/24 gag mNef mTat 10. gp120 codon optimised, minus secretion signal - p17/24 gag - L1Nef mTat 11. gp120 codon optimised, minus secretion signal - p17/24 gag - L2Nef mTat 12. gp120 codon optimised, minus secretion signal p17/24 gag LLNef mTat 13. gp120 codon optimised, minus secretion signal p17/24 gag - mLLNef mTat 14. gp120 codon optimised, minus secretion signal - p17/24 gag - mL1Nef mTat 15. gp120 codon optimised, minus secretion signal - p17/24 gag - mL2Nef mTat 16. gp120 codon optimised trNef 17. gp120 codon optimised - trNef-mTat 18. gp120 codon optimised Nef-mTat 19. Nef-mTat-gp120 codon optimised 20. trNef-mTat-gp120 codon optimised 21. gp120 codon optimised p17/24 Gag - tr Nef 22. gp120 codon optimised p17/24 Gag - tr Nef-mTat 23. gp120 codon optimised, minus secretion signal mRT trNef - p17/24 Gag 24. mRT trNef p17/24 Gag - gp120 codon optimised, minum secretion signal

## wherein RT and Gag are codon optimised.

gp120 codon optimized, minus secretion signal – tr Nef, gp120 codon optimized, minus secretion signal – tr Nef – mTat, gp120 codon optimized, minus secretion signal – Nef – mTat, gp120 codon optimized, minus secretion signal – p17/24 Gag – tr Nef, gp120 codon optimized, minus secretion signal – p17/24 Gag – tr Nef – mTat, gp120 codon optimized, minus secretion signal - p17/24 gag - Nef-mTat, gp120 codon optimized, minus secretion signal - p17/24 gag - mNef-mTat, gp120 codon optimized, minus secretion signal - p17/24 gag - L1Nef-mTat, gp120 codon optimized, minus secretion signal - p17/24 gag - L2Nef-mTat, gp120 codon optimized, minus secretion signal - p17/24 gag - L2Nef-mTat, gp120 codon optimized, minus secretion signal - p17/24 gag - mL1Nef-mTat, gp120 codon optimized, minus secretion signal - p17/24 gag - mL1Nef-mTat, gp120 codon optimized, minus secretion signal - p17/24 gag - mL1Nef-mTat, gp120 codon optimized, minus secretion signal - p17/24 gag - mL1Nef-mTat, gp120 codon optimized, minus secretion signal - p17/24 gag - mL2Nef-mTat, gp120 codon optimized, minus secretion signal - p17/24 gag - mL2Nef-mTat, gp120 codon optimized, minus secretion signal - p17/24 gag - mL2Nef-mTat, gp120 codon optimized, minus secretion signal - p17/24 gag - mL2Nef-mTat, gp120 codon optimized, minus secretion signal - p17/24 gag - mL2Nef-mTat, gp120 codon optimized, minus secretion signal - p17/24 gag - mL2Nef-mTat,

gp120 codon optimized - trNef-mTat,

gp120 codon optimized - Nef-mTat,

Nef-mTat- gp120 codon optimized,

trNef-mTat- gp120 codon optimized,

gp120 codon optimized - p17/24 Gag - trNef,

gp120 codon optimized - p17/24 Gag - trNef-mTat,

gp120 codon optimized, minus secretion signal - mRT- trNef - p17/24 Gag, and

mRT – trNef – p17/24 Gag – gp120 codon optimized, minus secretion signal,

wherein RT and Gag are codon optimized.

- 15. (Currently Amended) The polynucleotide according to any one of claims 1 to 14 claim 1 wherein the promoter is the promoter from HCMV IE gene.
- 16. (Currently Amended) The polynucleotide according to claim 15, wherein [[the]]a 5' untranslated region between the promoter and the coding polynucleotide sequence comprises exon 1.
- 17. (Currently Amended) A vector comprising a polynucleotide as claimed in any one of claims 1 to 16 claim 1.
- 18. (Currently Amended) The vector according to claim 17, wherein the vector which is a double-stranded DNA plasmid.
- 19. (Currently Amended) The vector according to claim 17, wherein the vector which is a replication defective adenovirus vector.
- 20. (Currently Amended) The vector according to claim 19, wherein the vector which is derived from the group of: Pan 9, 5, 6 [[or]] and 7.
- 21. (Currently Amended) A fusion protein comprising an HIV envelope protein or fragment or immunogenic derivative thereof and at least one additional HIV protein or fragment or immunogenic derivative selected from non-structural or capsid proteins.

- 22. (Currently Amended) A fusion protein according to claim 21 wherein the fusion protein is selected from: gp120-RT-Nef-Gag and RT-Nef-Gag-gp120.
- 23. (Currently Amended) A polypeptide encoded by the polynucleotide or vector according to any of claims 1 to 20 claim 1.
- 24. (Currently Amended) A pharmaceutical composition comprising a nucleotide sequence according to any one of claims 1 to 16, a vector of any one of claims according to claim 17-to 20, a fusion protein of claim 21 or 22 or a polypeptide of claim 23, and [[a]]at least one element chosen from the group of: a pharmaceutically acceptable excipient, diluent, carrier, [[or]]and an adjuvant.
- 25. (Currently Amended) The pharmaceutical composition according to claim 24, wherein the carrier is a plurality of particles-such as gold beads.
- 26. (Currently Amended) The pharmaceutical composition according to claim 24[[ or 25]]suitable for delivery in a prime boost format.
- 27. (Currently Amended) An intradermal delivery device comprising a pharmaceutical composition according to any one of claims 24 to 26 claim 24.
- 28. (Currently Amended) A method of treating a patient suffering from or susceptible to a disease comprising administering a safe and effective amount of a pharmaceutical composition according to any one of claims 24 to 26claim 24.

29-30. (Cancelled)

31. (Currently Amended) A process for the production of a polynucleotide according to any one of claims 1 to 16 claim 1 comprising linking a nucleotide sequence encoding [[an]]a substantially non-glycosylated HIV envelope protein-or fragment or immunogenic derivative, preferably a non-glycosylated gp120 sequence, and a sequence encoding an HIV non-structural or capsid protein-or fragment or immunogenic derivative, to a heterologous promoter sequence.

- 32. (Currently Amended) A polynucleotide <u>that comprises a sequence</u> encoding an HIV Tat <u>protein</u>molecule or <u>fragment or immunogenic derivative</u> in a fusion with at least two <u>further-HIV</u> antigens.
- 33. (Currently Amended) The polynucleotide according to claim 32 wherein the two further-HIV antigens include are selected from the group of: gp120, [[and ]]Nef, and optionally Gag and/or and RT, or fragments or immunogenic derivatives thereof.
- 34. (Cancelled)
- 35. (New) The pharmaceutical composition according to claim 24, wherein the carrier is gold beads.